

Iowa Science Teachers Journal

Volume 7 | Number 1

Article 14

1969

An Accurate Method for the Determination of Surface Area

Larry L. Schenken
University of Iowa

Follow this and additional works at: <https://scholarworks.uni.edu/istj>



Part of the [Science and Mathematics Education Commons](#)

Let us know how access to this document benefits you

Copyright © Copyright 1969 by the Iowa Academy of Science

Recommended Citation

Schenken, Larry L. (1969) "An Accurate Method for the Determination of Surface Area," *Iowa Science Teachers Journal*: Vol. 7 : No. 1 , Article 14.

Available at: <https://scholarworks.uni.edu/istj/vol7/iss1/14>

This Article is brought to you for free and open access by the Iowa Academy of Science at UNI ScholarWorks. It has been accepted for inclusion in Iowa Science Teachers Journal by an authorized editor of UNI ScholarWorks. For more information, please contact scholarworks@uni.edu.

An Accurate Method for the Determination of Surface Area

LARRY L. SCHENKEN
*University Schools,
The University of Iowa*

Many times it is necessary for teachers or students to determine the surface area of irregular objects (e.g., leaves) during laboratory investigations. The usual procedure involves laboriously tracing the outline of the object on graph paper, counting the number of square units on the paper, and then adding some "fudge factor" to estimate partially encircled squares.

Following is a simple and economical method for solving this problem using blueprint paper, which is available at low cost from most drafting-supply houses:

1. Place sheet of blueprint paper on a flat board.

2. Place objects for which surface area is to be determined on the blueprint paper.

3. If objects are lightweight or flat, cover them with a sheet of glass.

4. Expose the assemblage to sunlight (or to a strong light source) for four to six minutes.

5. Develop images on the blueprint paper by soaking the paper in

a pan of water for a few minutes.

6. Let paper dry. Cut out image of object with scissors.

7. Cut out a sample of blueprint paper ten centimeters square, and weigh the paper. Also determine the weight of the cut-out images. The area of the unknown object then may be simply calculated using the following formula:

$$\frac{\text{WEIGHT OF STANDARD}}{\text{AREA OF STANDARD}} = \frac{\text{WEIGHT OF UNKNOWN}}{\text{AREA OF UNKNOWN}}$$

Comments: Although blueprint paper is not extremely sensitive to light, it is best to work under low intensities of illumination, storing the unexposed paper in a seldom-used drawer. You will find this an extremely accurate method of measurement. Students enjoy the technique and the quality of results. Some sample images are indicated in the accompanying photograph.

